

Effective

January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

ITEM	MP NUMBER	NOMENCLATURE	ESTIMATED UNIT COST	NUMBER OF UNITS	ESTIMATED AMOUNT
1.		Connector, CANNON, AN3102A-18-13P	\$.52	1	\$.52
2.		Connector, CANNON, AN3102A-28-1S	2.89	1	2.89
3.		Connector, CANNON, AN3102A-10SL-3P	.29	1	.29
4.		Connector, CANNON, AN3102A-28-1P	1.06	1	1.06
5.		Connector, CANNON, AN3102A-10S-2P	.26	1	.26
6.		Connector, CANNON, AN3102A-10SL-4P	.26	1	.26
7.		Connector, CANNON, AN3102A-14S-9S	.62	1	.62
8.		Connector, CANNON, AN3102A-24-5S	2.12	1	2.12
9.		Connector, CANNON, AN3102A-22-19S	1.76	1	1.76
10.		Connector, AMPHENOL, 26-190-24	2.23	2	4.46
11.		Binding post, H. H. SMITH, 206 Red	.16	5	.80
12.		Binding post, H. H. SMITH, 206 Blk.	.16	5	.80

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
13.		Connector, CANNON, AN3106B - 24-5P	\$ 2.42	1	\$ 2.42
14.		Connector, CANNON, AN3102A - 14S-9P	.59	1	.59
15.		Connector, CANNON, AN3102A - 24-28S	1.28	1	1.28
16.		Connector, CANNON, AN3102A - 24-10P	2.50	1	2.50
17.		Connector, CANNON, AN3102A - 22-5P	1.60	1	1.60
18.		Connector, CANNON, AN3102A - 24-7S	2.09	2	4.18
19.		Binding post, H. H. SMITH, 205 Red	.13	5	.65
20.		Binding post, E. F. J., 105-602	.03	1	.03
21.		Binding post, E. F. J., 105-603	.03	1	.03
22.		Connector, WINCHESTER, RE-12S-12B	.45	2	.90
23.		Connector, CANNON, AN3102A - 12S-3P	.27	1	.27
24.		Connector, CANNON, AN3102A - 12S-3S	.29	1	.29
25.		Connector, CANNON, AN3102A - 18-11P	.75	1	.75

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
26.		Connector, GENERAL RADIO, 938 WR	\$.53	2	\$ 1.06
27.		Connector, GENERAL RADIO, 938 WB	.53	2	1.06
28.		Connector, M. JAX, M442A	.92	2	1.84
29.		Connector, WINCHESTER, 12P QRE	2.14	5	10.70
30.		Connector, CANNON, AN3102A - 24-7P	1.76	1	1.76
31.		Connector, WINCHESTER, M7P-LS	.59	2	1.18
32.		Connector, AMPHENOL, 26-159-24	1.43	2	1.43
33.		Connector, CANNON, AN3102A - 20-14P	1.45	1	1.45
34.		Connector, CANNON, AN3102A - 18-11S	1.00	1	1.00
35.		Connector, CANNON, AN3106B - 18-11P	1.25	1	1.25
36.		Connector, CANNON, AN3106B - 18-11S	1.60	1	1.60
37.		Connector, CANNON, AN3102A - 20-15P	1.28	1	1.28
38.		Connector, CANNON, AN3102A - 22-5S	1.28	1	1.28

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
39.		Connector, CANNON, AN3106B- 20-15S	\$ 1.35	1	\$ 1.35
40.		Connector, CANNON, AN3102A- 24-10S	1.76	1	1.76
41.		Connector, CANNON, AN3102A- 22-19J	1.76	1	1.76
42.		Connector, CANNON, AN3102A- 18-8S	.60	1	.60
43.		Connector, CANNON, AN3102A- 20-18S	1.46	1	1.46
44.		Relay, POTTER & BRUMFIELD, 5KLA1	5.75	5	28.75
45.		Relay, POTTER & BRUMFIELD, KL14A	4.85	5	24.25
46.		Relay, SIGMA, 22RJCC1000G-S1L	14.00	10	140.00
47.		Relay, POTTER & BRUMFIELD, KA5-A	2.95	2	5.90
48.		Choke, TRIAD, HSM301	10.31	4	41.24
49.		Choke, TRIAD, HSM331	8.88	4	35.52
50.		Choke, TRIAD, HSM315	14.15	4	56.60
51.		Choke, TRIAD, HSM305	11.23	4	44.92
52.		Choke, R. W. Dwg. No. 70030018	35.00	4	140.00

Effective. January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
53.		Choke, R. W. Dwg. No. 70030019	\$ 35.00	4	\$ 140.00
54.		Coil, MILLER, 6315	1.08	4	4.32
55.		Coil, MILLER, 4413	1.65	4	6.60
56.		C. A. C., MP930-35B	6.50	4	26.00
57.		C. A. C., MP930-43B	8.00	4	32.00
58.		C. A. C., MP930-33B	5.70	4	22.80
59.		C. A. C., MP930-40B	5.95	4	23.80
60.		C. A. C., MP930-31B	5.55	4	22.20
61.		C. A. C., MP930-27B	5.40	4	21.60
62.		C. A. C., MP930-38B	6.45	4	25.80
63.		C. A. C., MP930-24B	5.55	4	22.20
64.		C. A. C., MP930-37B	6.30	4	25.20
65.		Coil, MILLER, 670	.51	4	2.04
66.		Choke, RAYCO, 02777-1	15.45	4	61.80
67.		Choke, RAYCO, 01782-1	7.86	4	31.44
68.		Choke, BURNELL, 36.5mh	5.00	4	20.00
69.		Choke, TRIAD, HSM319	23.58	4	94.32
70.		Choke, R. W. Dwg. No. 70000025	35.00	4	140.00

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
71.		Choke, TRIAD, HSM307	\$ 14.80	4	\$ 59.20
72.		Resistor, RH0A43	2.00	3	6.00
73.		Resistor, RH0L47	2.50	1	2.50
74.		Resistor, RH0A44	2.50	2	5.00
75.		Resistor, ALLEN-BRADLEY, JLU 5021	2.55	1	2.55
76.		Resistor, SPRAGUE, 5NIT.700 W/Leads	.50	1	.50
77.		Resistor, OHMITE, CU1041	1.70	1	1.70
78.		Resistor, OHMITE, CU1051	1.70	1	1.70
79.		Resistor, OHMITE, JU1041	1.70	2	3.40
80.		Resistor, OHMITE, JU5041	2.55	1	2.55
81.		Resistor, A-B, CLU5021	2.55	1	2.55
82.		Resistor, SPRAGUE, 5KT, 600 ohm KOOLOHM, W/Lead	.75	1	.75
83.		Resistor, RHOL44	1.50	1	1.50
84.		Resistor, OHMITE, CLU1021	2.50	1	2.50
85.		Resistor, R. W. Dwg. No. 70000119	25.00	1	25.00
86.		Resistor, OHMITE, CLU5031	2.50	1	2.50
87.		Resistor, OHMITE, CLU5020	2.50	1	2.50

Effective January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
88.		Resistor, OHMITE, RHOL48	\$ 1.60	1	\$ 1.60
89.		Resistor, ALLEN-BRADLEY, JU1052	1.95	1	1.95
90.		Resistor, OHMITE, Dual, CU1052	5.73	1	5.73
91.		Switch, CURTIS-WRIGHT, 117-20-A	7.90	1	7.90
92.		Switch, CENTRALAB, PA2009	3.36	1	3.36
93.		Switch, CENTRALAB, 2023	3.48	1	3.48
94.		Switch, CENTRALAB, 2027	4.29	1	4.29
95.		Switch, CENTRALAB, 2003	1.74	1	1.74
96.		Switch, CENTRALAB, 2011	2.52	1	2.25
97.		Switch, CENTRALAB, 2035	2.82	1	2.82
98.		Resistor Kit, 1/2 watt, 5% (102 values from 100 ohms thru 10 megohms)	48.80	1	48.80
99.		Resistor Kit, 1 watt, 5% (102 values from 100 ohms thru 10 megohms)	122.00	1	122.00
100.		Switch, G. V. CONTROLS, RO-40	10.00	3	30.00
101.		Switch, CENTRALAB, PA 2007	1.32	1	1.32
102.		Switch, CUTTLER-HAMMER, 7675 K4	8.02	1	8.02

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
103.		Switch, HEATHERINGTON, T2104	\$ 2.55	1	\$ 2.55
104.		Switch, CENTRALAB, PA 2019	1.89	1	1.89
105.		Switch, CENTRALAB, PA 2015	1.87	1	1.87
106.		Switch, G. V. CONTROLS, RO-20	10.00	3	30.00
107.		Switch, G. B. CONTROLS, RO-60	10.00	3	30.00
108.		Switch, GEN. CONT., ML 6287	4.00	2	8.00
109.		Transformer, R. W. Dwg. No. 70000020	35.00	4	140.00
110.		Transformer, U. T. C., H 93	37.13	4	148.52
111.		Transformer, TRIAD, HSM226	14.28	4	57.12
112.		Transformer, R. W. Dwg. No. 70000017	35.00	4	140.00
113.		Transformer, TRIAD, HSM229	17.16	4	68.64
114.		Transformer, TRIAD, HSM216	33.48	4	133.92
115.		Transformer, CHICAGO STD., PF1A13YY	35.00	4	140.00
116.		Transformer, STANDARD COIL, XM1555-2	8.00	4	32.00
117.		Transformer, STANDARD COIL, SM1555-3	8.00	4	32.00

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
118.		Transformer, STANDARD COIL, XM1555-4	\$ 8.00	4	\$ 32.00
119.		Transformer, STANDARD COIL, XM1555-5	8.00	4	32.00
120.		Transformer, R. W. Dwg. No. 70000023	35.00	4	140.00
121.		Transformer, R. W. Dwg. No. 70000021	35.00	4	140.00
122.		Transformer, R. W. Dwg. No. 70000022	35.00	4	140.00
123.		Transformer, U. T. C., H 134	16.42	4	65.68
124.		Transformer, R. W. Dwg. No. 70030020	35.00	4	140.00
125.		Crystal Diode, G. E., 1N93	1.85	20	37.00
126.		Crystal Diode, WESTINGHOUSE, N5091A	14.00	4	56.00
127.		Crystal Diode, G. E., 1N92	2.88	2	5.76
128.		Crystal Diode, I. R., 8U1	.88	30	26.40
129.		Crystal Diode, I. R., 4U1	1.10	2	2.20
130.		Crystal Diode, I. R., 5U1	1.02	5	5.10
131.		Pilot Light, MARCO, 5NE2	.85	20	17.00
132.		Pilot Light, G. E., 328	.42	20	8.40

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
133.		Fuse, LITTLEFUSE, No. 312.004	\$.06	25	\$ 1.50
134.		Fuse, LITTLEFUSE, No. 313.032	.19	25	4.75
135.		Fuse, LITTLEFUSE, No. 312.062	.10	25	2.50
136.		Fuse, LITTLEFUSE, No. 312.003	.04	25	1.00
137.		Fuse, LITTLEFUSE, No. 312.250	.14	25	3.50
138.		Fuse, LITTLEFUSE, No. 312.005	.06	25	1.50
139.		Fuse, LITTLEFUSE, No. 312.002	.05	25	1.25
140.		Fuse, LITTLEFUSE, No. 312.750	.09	25	2.25
141.		Fuse, LITTLEFUSE, No. 314.012	.10	25	2.50
142.		Fuse, LITTLEFUSE, No. 312.150	.08	25	2.00
143.		Tube, 5R4W.G. Y.	4.60	4	18.40
144.		Tube, TUNG SOL, 6AR6/6098	3.25	4	13.00
145.		Tube, R. C. A. , 5751	2.05	4	8.20

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
146.		Tube, AMPREX, 0G3/85A2	\$ 2.50	4	\$ 10.00
147.		Tube, 5814/12AU7	2.25	5	11.25
148.		Tube, 6AQ5	.52	3	1.56
149.		Tube, 6B2	.80	3	2.40
150.		Tube, 5963	1.00	3	3.00
151.		Tube, 6136/6AU6	2.00	10	20.00
152.		Tube, 12BH7	.72	3	2.16
153.		Tube, 2D21/5727	1.21	3	3.63
154.		Tube, HB106	10.00	3	30.00
155.		Tube, 5687	2.70	3	8.10
156.		Tube, 5763	2.11	3	6.33
157.		Tube, 6AN8	.83	3	2.49
158.		Tube, 6BK7A	.82	3	2.46
159.		Tube, 6080	6.00	3	18.00
160.		Tube, 6U8	1.03	3	3.09
161.		Tube Socket, EBY, 9753	.40	2	.80
162.		Tube Socket, EBY, TSFOT103	.50	2	1.00
163.		Tube Socket, EBY, TS101P01	.40	5	2.00

Effective January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
164.		Tube Socket, EBY, TS103P01	\$.36	5	\$ 1.80
165.		Tube Socket, EBY, TS102P01	.27	2	.54
166.		Tube Socket, EBY, TS103U02	.15	5	.75
167.		Tube Socket, EBY, TS102U02	.15	2	.30
168.		Tube Clamp, BIRCHER, 9260-7	.90	2	1.80
169.		Tube Clamp, BIRCHER, 22B-4	.64	2	1.28
170.		SPRAGUE, CP07SB4	.16	2	.32
171.		SPRAGUE, CP07SC3	.18	2	.36
172.		SPRAGUE, CP07SE5	.18	2	.36
173.		SPRAGUE, CP07SC2	.18	2	.36
174.		Fuse, LITTLEFUSE, No. 342003	.28	2	.56
175.		Pilot Light, MARCO, 30080M	.85	2	1.70
176.		Tube Socket, HSK106-R5	1.50	2	3.00
177.		Tube Socket, EBY, TS102P03	.20	2	.40
178.		Tube Socket, EBY, TS103U03	.22	2	.44
179.		Capacitor, SPRAGUE, CP70B1EF- 405K	5.82	4	23.28
180.		Capacitor, SPRAGUE, CP70B1EF- 805K	8.53	2	17.06

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NO MENC LATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
181.		Capacitor, SPRAGUE, CP70B1EF-405K	\$	DELETE	
182.		Capacitor, SPRAGUE, CP70B1EF-805K		DELETE	
183.		Capacitor, SPRAGUE, CP70B1EF-106K	9.00	2	18.00
184.		Capacitor, HOPKINS, J1KT-6104 K	1.24	2	2.48
185.		Capacitor, MALLORY, HC-10100 235611	4.95	2	9.90
186.		Capacitor, MALLORY, HC-1520	2.82	2	5.64
187.		Capacitor, HOPKINS, J1KT-6274 K	1.25	2	2.50
188.		Capacitor, HOPKINS, 9-1KT 4473 K	.80	2	1.60
189.		Capacitor, SPRAGUE, 80P3	1.30	2	2.60
190.		Capacitor, HOPKINS, 1P52H	1.76	2	3.52
191.		Capacitor, HOPKINS, 9-1KT 1104 K	.58	2	1.16
192.		Capacitor, HOPKINS, 9-1KT 4104 K	.71	2	1.42
193.		Capacitor, CORNELL-DUBILIER, BBR-10-150	.44	2	.88
194.		Capacitor, CORNELL-DUBILIER, BBR-50-25	.66	2	1.32
195.		Capacitor, CENTRALAB, CU-12D-121	.68	2	1.36

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
196.		Capacitor, HOPKINS, 9-1K 2104K	\$ 1.00	2	\$ 2.00
197.		Capacitor, HOPKINS, 9-1K 4104K	1.48	10	14.80
198.		Capacitor, CORNELL-DUBILIER , BBR-10-50	.42	10	4.20
199.		Capacitor, SPRAGUE, 96P10592S2	1.17	2	2.34
200.		Capacitor, CORNELL-DUBILIER, BBR-25-25	.60	2	1.20
201.		Capacitor, HOPKINS, 1K6472K	1.00	3	3.00
202.		Capacitor, HOPKINS, 1KT6473K	1.00	3	3.00
203.		Capacitor, HOPKINS, 1KT6254K	1.62	2	3.24
204.		Capacitor, SPRAGUE, 96P1049452	.91	2	1.82
205.		Capacitor, HOPKINS, 91K4332K	.80	5	4.00
206.		Kit Capacitor, EL Menco, Fixed mica, MIL-C-5A, CM-15 Case Size† 5%	90.00	1	90.00
207.		Capacitor, HOPKINS, 91K 4254K	2.50	2	5.00
208.		Capacitor, HOPKINS, 91K 2154K	1.00	2	2.00
209.		Capacitor, HOPKINS, 91K 4472K	2.50	2	5.00
210.		Capacitor, HOPKINS, 91K 4102K	1.02	2	2.04
211.		Capacitor, HOPKINS, PO 12H	1.18	2	2.36

Effective January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
212.		Capacitor, HOPKINS, P 14H	\$.75	2	\$ 1.50
213.		Capacitor, HOPKINS, 91KT4224K	2.51	2	5.02
214.		Capacitor, HOPKINS, 91K 1104K	.65	2	1.30
215.		Capacitor, HOPKINS 91K 4153K	2.50	2	5.00
216.		Capacitor, HOPKINS, PO54H	.59	2	1.18
217.		Capacitor, HOPKINS, 91K 1102K	1.00	2	2.00
218.		Capacitor, CORNELL-DUBILIER, BR505	.42	2	.84
219.		Capacitor, AEROVOX, P123Z6	1.89	2	3.78
220.		Capacitor, CENTRALAB, TCX 3.3	.25	2	.50
221.		Capacitor, CENTRALAB, TCF 6.8	.27	2	.54
222.		Capacitor, CENTRALAB, 96P33204S2	1.00	2	2.00
223.		Capacitor, CENTRALAB, 96P22404S2	1.02	2	2.04
224.		Capacitor, CENTRALAB, 96P1040 1S2	.72	2	1.44
225.		Capacitor, CENTRALAB, 96P18204S2	1.00	2	2.00
226.		Capacitor, SPRAGUE, 96P10404S2	1.00	2	2.00
227.		Capacitor, HOPKINS, 91K 2102K	1.00	2	2.00
228.		Capacitor, SPRAGUE, 96P10401S2	1.00	2	2.00

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
229.		Capacitor, HOPKINS, 91K 3393K	\$.81	2	\$ 1.62
230.		Capacitor, SPRAGUE, 96P10594S4	.91	2	1.82
231.		Capacitor, SPRAGUE, 96P10304S2	1.00	2	2.00
232.		Capacitor, SPRAGUE, CP65BIEF105K	3.30	2	6.60
233.		Capacitor, CORNELL-DUBILIER, BBR 10 25	.50	2	1.00
234.		Capacitor, HOPKINS, 91K4152K	2.50	2	5.00
235.		Capacitor, HOPKINS, 91K1105K	1.00	2	2.00
236.		Capacitor, HOPKINS, 1KT3333K	1.00	2	2.00
237.		Capacitor, HOPKINS, TS2A-7	.90	3	2.70
238.		Capacitor, HOPKINS, 9-1KT3254K	1.50	2	3.00
239.		Capacitor, HOPKINS, 9-1K 4473K	.67	2	1.34
240.		Capacitor, HOPKINS, P25611	1.00	2	2.00
241.		Capacitor, HOPKINS, 9-1K 6473K	2.70	2	5.40
242.		Capacitor, MALLORY, MP1225	3.00	2	6.00
243.		Capacitor, HOPKINS, 9-1KT6104K	2.70	2	5.40
244.		Capacitor, HOPKINS, 9-1KT6254K	1.62	2	3.24
245.		Capacitor, CORNELL-DUBILIER,			

Effective: January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

ITEM	MP NUMBER	NOMENCLATURE	ESTIMATED UNIT COST	NUMBER OF UNITS	ESTIMATED AMOUNT
246.		Capacitor, HOPKINS, 9KT 2104K	\$.98	2	\$ 1.96
247.		Capacitor, CENTRALAB, TCZ 4.7	.25	2	.50
248.		Capacitor, CORNELL-DUBILIER, BR1045	.50	2	1.00
249.		Capacitor, HOPKINS, 9-1KT4472K	.94	2	1.88
250.		Capacitor, HOPKINS, 9-PO14H	1.00	2	2.00
251.		Capacitor, MALLORY, SR 638	1.80	2	3.60
252.		Capacitor, HOPKINS, 65-1E61052	2.50	2	5.00
253.		Capacitor, HOPKINS, 9P54H	1.00	2	2.00
254.		Capacitor, CORNELL-DUBILIER, BBR25-50	.70	2	1.40
255.		Capacitor, CORNELL-DUBILIER, BR 16-15	.55	2	1.10
256.		Capacitor, CORNELL-DUBILIER, BBR 1045	.72	2	1.44
257.		Capacitor, HOPKINS, 651E6105	2.70	2	5.40
258.		Capacitor, HOPKINS, 9-1P2H	1.50	2	3.00
259.		Capacitor, HOPKINS, 9-1KT4333	2.50	2	5.00
260.		Capacitor, HOPKINS, 9-1KT4224	2.51	2	5.02
261.		Capacitor, HOPKINS, 9-1KT4473	2.50	2	5.00
262.		Capacitor, HOPKINS, 9-1KT4473	2.50	2	5.00

Effectiv January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

ITEM	MP NUMBER	NOMENCLATURE	ESTIMATED UNIT COST	NUMBER OF UNITS	ESTIMATED AMOUNT
263.		Motor, TECHNICAL DEVELOPMENT CORPORATION, D641 -1	\$ 75.00	3	\$ 225.00
264.		Motor, TECHNICAL DEVELOPMENT CORPORATION, D641 -2	125.00	2	250.00
265.		Motor, TECHNICAL DEVELOPMENT CORPORATION, D631 -1	83.00	2	166.00
266.		Circuit Breaker, HEINAMAN, XAM-33-Curve 4-50 amp	22.90	2	45.80
267.		Circuit Breaker, HEINAMAN, XAM-33-Curve 5-15 amp	8.60	3	25.80
268.		Circuit Breaker, HEINAMAN, XAM-33-10 amp	8.60	2	17.20
269.		Circuit Breaker, Switch Modified JV-9007-6 pole 5 POS	10.80	2	21.60
270.		Circuit Breaker, Switch Modified C&H 8801 (ST-42A)	1.73	3	5.19
271.		Circuit Breaker, Knob, KNB-2	.75	2	1.50
272.		Data Separator Plug in Amplifier	570.14	1	570.14
273.		Meter, SIMPSON, 142A:VU	23.40	1	23.40
274.		Meter, HEWLETT-PACKARD, HPA4CA, DC9000	35.00	1	35.00
275.		Meter, R. W. Dwg. No. 70000655 DC9300	50.00	1	50.00
276.		Meter, R. W. Dwg. No. 70000656 DC9200	50.00	1	50.00

Effecti January 21, 1957

Supersedes: _____

Revision: _____

EQUIPMENT LIST Y
PRELIMINARY DEPOT SPARES LIST
FOR 3-CHANNEL DATA REDUCTION
EQUIPMENT

<u>ITEM</u>	<u>MP NUMBER</u>	<u>NOMENCLATURE</u>	<u>ESTIMATED UNIT COST</u>	<u>NUMBER OF UNITS</u>	<u>ESTIMATED AMOUNT</u>
277.		Meter, R. W. Dwg. No. 70000419 DC9100	\$ 50.00	1	\$ 50.00
278.		Chart Paper, (ALFAX)	3.00	26	78.00
279.		Playback/Record Amplifier	670.00	2	1,340.00
280.		Erase Amplifier	281.00	1	281.00
281.		Erase Oscillator	150.00	1	150.00
282.		Transport Sequence Control	885.33	1	885.33